



# Vehicle History Report

## VEHICLE DETAILS

**Chassis number <sup>1</sup>:** ZN6-029008

**Manufacture date:** 2013

**Make:** TOYOTA

**Model:** 86

**Body:** DBA-ZN6

**Grade:** GT

**Engine:** FA20

**Drive:** 2WD

**Transmission:** AT

**Title information <sup>2</sup>:**



**Deregistered  
Temporarily**



**Accident / Repair:**



**No problem**



**Odometer  
rollback:**



**No problem**



**Manufacturer  
recall:**



**No problem**



**Safety grade <sup>3</sup>:**



**★★★★★**



**Contamination  
risk:**



**No problem**



This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2026-05-09 13:17:22. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD . Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

## ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

## ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2022-03-23	MLIT	80400
2024-03-08	MLIT	98200
2026-04-24	USS Nagoya	114223

## USE HISTORY


<b>Use in the contaminated regions</b> <sup>4</sup>	<b>Radioactive contamination test fail</b> <sup>5</sup>	<b>Commercial use</b>
Not reported	Not reported	Not reported

## DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2013			TOYOTA	Manufactured
2013-04			MLIT	First registration
2022-03-23		80400	MLIT	Inspection
2024-03-08	Gifu	98200	MLIT	Inspection
2026-04-15	Gifu		MLIT	Last registration

## MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
---------------	-------------	---------------	---------

 Not reported

## VEHICLE ASSESSMENT <sup>6</sup>

### Overall Collision Safety Ratings

Driver's seat			Front passenger's seat		
Points	Evaluation	Goal average	Points	Evaluation	Goal average
10.27	★★★★	86%	10.16	★★★★	85%

\* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

### Braking performance tests <sup>7</sup>

Dry road



39.6 m

Wet road



41.0 m

## VEHICLE SPECIFICATION

<b>1st gear ratio</b>	3.538	<b>2nd gear ratio</b>	2.060
<b>3rd gear ratio</b>	1.404	<b>4th gear ratio</b>	1.000
<b>5th gear ratio</b>	0.713	<b>6th gear ratio</b>	0.582

**Additional notes**

-

**Airbag position,  
capacity**

**Body rear overhang** 755 ( REAR SPOILER HAVE )  
750 ( REAR SPOILER LESS )

**Body type** COUPE

<b>Chassis number embossing position</b>	CROSSMEMBER FRONT RIGHT SIDE FRONT SURFACE	<b>Classification code</b>	1009
<b>Cylinders</b>	4	<b>Displacement</b>	1990
<b>Electric engine type</b>	-	<b>Electric engine maximum output</b>	-
<b>Electric engine maximum torque</b>	-	<b>Electric engine power</b>	-
<b>Engine maximum power</b>	200PS(147KW)/7000RPM	<b>Engine maximum torque</b>	20.9KG· M(205N· M)/6400 ~ 6600RPM
<b>Engine model</b>	FA20	<b>Frame type</b>	FRAME LESS
<b>Front shaft weight</b>	710	<b>Front shock absorber type</b>	
<b>Front stabilizer type</b>	TORSION· BAR TYPE	<b>Front tires size</b>	215/45R17 87W
<b>Front tread</b>	1.520	<b>Fuel consumption</b>	-
<b>Fuel tank equipment</b>	50	<b>Grade</b>	GT
<b>Height</b>	1.300	<b>Length</b>	4.240
<b>Main brakes type</b>	HYDRAULIC TYPE FRONT DISK BACK DISK	<b>Make</b>	TOYOTA
<b>Maximum speed</b>		<b>Minimum ground clearance</b>	0.130
<b>Minimum turning radius</b>	5.4	<b>Model</b>	86
<b>Model code</b>	DBA-ZN6	<b>Mufflers number</b>	
<b>Rear shaft weight</b>	540	<b>Rear shock absorber type</b>	
<b>Rear stabilizer type</b>	TORSION· BAR TYPE	<b>Rear tires size</b>	215/45R17 87W
<b>Rear tread</b>	1.540	<b>Reverse ratio</b>	3.168
<b>Riding capacity</b>	4	<b>Side brakes type</b>	MACHINE CAR WHEEL制動 SHAPE( DRUM TYPE)
<b>Specification code</b>	17116	<b>Stopping distance</b>	☆7.72(100)
<b>Transmission type</b>	AT	<b>Weight</b>	1250

Wheel alignment 2WD

Wheelbase 2.570

Width 1.775

## AUCTION DATA

Date: 2026-04-24, Auction: USS Nagoya, Lot #: 50421

Date: 2026-04-24 Lot #: 50421

Auction name: [USS Nagoya](#) Region: Aichi

Make: TOYOTA Model: 86

Reg. year: 2013 Mileage (km): 114223

Displacement (cc): 2000 Transmission: FA

Color: GRAY Model code: ZN6

Result: available Auction grade: 4

Problem type: No problem Problem scale: None

Contaminated: No Airbag: OK

## PHOTOS AND AUCTION SHEETS

# プライムコーナー


50421	車種 (中古車にのみ記入)	排気量	型式	4
		2000	DBA-ZN6	
	初年度登録年月 H25/4月	車名 トヨタ 86	グレード CP GT	駆動 2WD
				B

車検	年月日	シフト	FAT	特注品	SR	カワ	PS	ナビ	ETC
走行	114,223 km	冷房	AAC	セルスポイント					
外色	元色 色番	カラー		社外ナビ・TV					
	グレー	61K		バックカメラ					
燃料	ガソリン	内装色		スマートキー×2					
車検	年月日	輸入区分	ハンドル	ETC					

リサイクル 原価金	10,180円	乗車定員	4人	登録地	
○注意事項 (納車・不具合修理および状態等)				車台号	ZN6-029008
取説・保証書・スマートキー後日送り				シリアル号	

## ○検査員報告

- トリムキズ
- シートフチハタリ
- ホイールキズ
- 小キズ小凹うすキズ



[荷台内寸]約	x	x	(cm)
長さ	424 cm	幅	177 cm
		高さ	130 cm

**1 Chassis number** – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

**2 Title information:**

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped

Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

**3 Determining the overall collision safety performance evaluation** – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

**4 Use in the contaminated regions** – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

**5 Radioactive contamination test** – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT – Ministry of Land, Infrastructure, Transport and Tourism.

**6 Japan New Car Assessment Program** – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

**7 Braking Performance Tests** – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2026 Car VX Limited. All rights reserved.